

Плиты шириной 1500 мм

Наименование	Длина (мм)	Ширина (мм)	Высота (мм)	Объем (м3)	Масса (т)
ПБ 21.15-8	2080	1495	220	0.376	0.91
ПБ 22.15-8	2180	1495	220	0.395	0.954
ПБ 23.15-8	2280	1495	220	0.414	0.998
ПБ 24.15-8	2380	1495	220	0.433	1.042
ПБ 25.15-8	2480	1495	220	0.451	1.085
ПБ 26.15-8	2580	1495	220	0.469	1.128
ПБ 27.15-8	2680	1495	220	0.487	1.171
ПБ 28.15-8	2780	1495	220	0.505	1.214
ПБ 29.15-8	2880	1495	220	0.523	1.257
ПБ 30.15-8	2980	1495	220	0.541	1.3
ПБ 31.15-8	3080	1495	220	0.559	1.343
ПБ 32.15-8	3180	1495	220	0.577	1.386
ПБ 33.15-8	3280	1495	220	0.595	1.429
ПБ 34.15-8	3380	1495	220	0.613	1.47
ПБ 35.15-8	3480	1495	220	0.631	1.514
ПБ 36.15-8	3580	1495	220	0.649	1.56
ПБ 37.15-8	3680	1495	220	0.667	1.6
ПБ 38.15-8	3780	1495	220	0.685	1.646
ПБ 39.15-8	3880	1495	220	0.7	1.69
ПБ 40.15-8	3980	1495	220	0.72	1.73
ПБ 41.15-8	4080	1495	220	0.736	1.775
ПБ 42.15-8	4180	1495	220	0.758	1.82
ПБ 43.15-8	4280	1495	220	0.776	1.85
ПБ 44.15-8	4380	1495	220	0.794	1.88
ПБ 45.15-8	4480	1495	220	0.812	1.91
ПБ 46.15-8	4580	1495	220	0.83	1.95
ПБ 47.15-8	4680	1495	220	0.848	1.98

ПБ 48.15-8	4780	1495	220	0.867	2.08
ПБ 49.15-8	4880	1495	220	0.885	2.12
ПБ 50.15-8	4980	1495	220	0.9	2.16
ПБ 51.15-8	5080	1495	220	0.92	2.2
ПБ 52.15-8	5180	1495	220	0.94	2.25
ПБ 53.15-8	5280	1495	220	0.957	2.29
ПБ 54.15-8	5380	1495	220	0.976	2.34
ПБ 55.15-8	5480	1495	220	0.993	2.38
ПБ 56.15-8	5580	1495	220	1.01	2.42
ПБ 57.15-8	5680	1495	220	1.027	2.46
ПБ 58.15-8	5780	1495	220	1.044	2.5
ПБ 59.15-8	5880	1495	220	1.06	2.54
ПБ 60.15-8	5980	1495	220	1.08	2.59
ПБ 61.15-8	6080	1495	220	1.1	2.635
ПБ 62.15-8	6180	1495	220	1.12	2.68
ПБ 63.15-8	6280	1495	220	1.135	2.725
ПБ 64.15-8	6380	1495	220	1.15	2.77
ПБ 65.15-8	6480	1495	220	1.17	2.815
ПБ 66.15-8	6580	1495	220	1.19	2.86
ПБ 67.15-8	6680	1495	220	1.2	2.9
ПБ 68.15-8	6780	1495	220	1.22	2.94
ПБ 69.15-8	6880	1495	220	1.25	2.99
ПБ 70.15-8	6980	1495	220	1.26	3.03
ПБ 71.15-8	7080	1495	220	1.28	3.075
ПБ 72.15-8	7180	1495	220	1.3	3.12
ПБ 73.15-8	7280	1495	220	1.318	3.16
ПБ 74.15-8	7380	1495	220	1.336	3.2
ПБ 75.15-8	7480	1495	220	1.355	3.25
ПБ 76.15-8	7580	1495	220	1.37	3.29
ПБ 77.15-8	7680	1495	220	1.39	3.33
ПБ 78.15-8	7780	1495	220	1.41	3.36
ПБ 79.15-8	7880	1495	220	1.428	3.4
ПБ 80.15-8	7980	1495	220	1.446	3.44
ПБ 81.15-8	8080	1495	220	1.465	3.49

ПБ 82.15-8	8180	1495	220	1.48	3.53
ПБ 83.15-8	8280	1495	220	1.5	3.58
ПБ 84.15-8	8380	1495	220	1.52	3.62
ПБ 85.15-8	8480	1495	220	1.538	3.66
ПБ 86.15-8	8580	1495	220	1.556	3.7
ПБ 87.15-8	8680	1495	220	1.575	3.75
ПБ 88.15-8	8780	1495	220	1.593	3.795
ПБ 89.15-8	8880	1495	220	1.61	3.84
ПБ 90.15-8	8980	1495	220	1.63	3.91
ПБ 91.15-8	9080	1495	220	1.648	3.95
ПБ 92.15-8	9180	1495	220	1.666	3.995
ПБ 93.15-8	9280	1495	220	1.684	4.05
ПБ 94.15-8	9380	1495	220	1.7	4.085
ПБ 95.15-8	9480	1495	220	1.72	4.12
ПБ 96.15-8	9580	1495	220	1.74	4.17
ПБ 97.15-8	9680	1495	220	1.76	4.21
ПБ 98.15-8	9780	1495	220	1.78	4.25
ПБ 99.15-8	9880	1495	220	1.8	4.3
ПБ 100.15-6	9980	1495	220	1.82	4.35
ПБ 101.15-8	10080	1495	220	1.84	4.4
ПБ 102.15-8	10180	1495	220	1.86	4.45